

/ "™9p; h-EPÑv^N\!_€ÖR³
 ù ÖæeuE í¥ ía¥ ÅAÅ%ùf49†
 è<^ê;bm•CTà} ¬-„wÅ×(ó(*A•v"Ý v+öö:ä5¬/žçöçL ÷"-qÂSÆçÈ:@ú•>&Ý4N ç?ÿ b 1
 endstream
 endobj
 5 0 obj
 << /Type /Font /Subtype /TrueType /FirstChar 0 /LastChar 255 /Widths [0 497] /Encoding /WinAnsiEncoding /BaseFont /ABCDEE+Calibri#20Light /FontDescriptor 16 0 R
 endobj
 16 0 obj
 << /Type /FontDescriptor /Ascent 750 /CapHeight 0 /Descent -250 /Flags 32 /FontBBox [-511 -269 1309 952] /FontName /
 endobj
 6 0 obj
 << /Type /Font /Subtype /TrueType /FirstChar 0 /LastChar 255 /Widths [0 506] /Encoding /WinAnsiEncoding /BaseFont /ABCDEE+Calibri#20Light /FontDescriptor 17 0 R
 endobj
 17 0 obj
 << /Type /FontDescriptor /Ascent 750 /CapHeight 0 /Descent -250 /Flags 32 /FontBBox [-511 -269 1309 952] /FontName /
 endobj
 1 0 obj
 << /Type /Pages /Kids [3 0 R] /Count 1 >>
 endobj
 18 0 obj
 << /Type /Catalog /Pages 1 0 R >>
 endobj
 19 0 obj
 << /Title <feff0049006e0064006900760069006400750061006c00200043006f006d006d006f006d006f00640069007400790020005200650070006f007
 /Author <>
 /Subject <>
 /Creator (Microsoft Reporting Services 2019.11.0.0)
 /Producer (Microsoft Reporting Services PDF Rendering Extension 2019.11.0.0)
 /CreationDate (D:20240229082859-07'00')
 >>
 endobj
 20 0 obj
 << /Type /XRef
 /Index [0 21]
 /W [1 4 3]
 /Filter /FlateDecode /Size 21 /Length 88 /Root 18 0 R /Info 19 0 R >>
 stream
 X c` •ÿ~ ;#•,F æ,D<• š7 L3xÅCèæ; qNg íe
 ¥ÿ@hí"Ps iê'!`,'D•ök{} j „îê†D•Ö;ô Ý-
 ☒ or
 endstream
 endobj
 startxref
 232229
 %%EOF